


### Amendments to the Claims

The following listing of the claims supersedes any previous listing.


#### Listing of the Claims:

1. (Currently Amended) ~~Use~~A method for treatment and/or prevention of dermatological lesions of a mammal comprising:  
submitting a dermatological lesion to of a composition comprising ~~an adequate pharmaceutical or cosmetic carrier (or diluent) and~~ a sufficient amount of a compound formula I



wherein R1 is an alkyl group and wherein R2 is H or an alkyl group, in a pharmaceutical or cosmetic carrier for the manufacture of a medicament in the treatment and the prevention of mammal dermatological lesions.

2. (Currently Amended) ~~The use~~method of claim 1, wherein R1 is an alkyl ~~chain~~group of formula II



wherein R2 is a methyl.

3. (Currently Amended) ~~The use~~method of claim 1, wherein the lesion to select from the group consisting of bruises, vascular disorder on the skin, spider veins, varicoses, blotches on the face, purpura on the face body or legs, irritation following use of chemical peel, ~~Shambourg's~~Schamberg's disease or a mixture thereof.

4. (Currently Amended) The ~~use~~method of claim 1[[ ]], wherein the compound is present in nano-sized lipidic particles, comprised between about 50 and about 400 nanometers in diameter.

5. (Currently Amended) The ~~use~~method of claim 4, wherein the nano-sized lipidic particles have a diameter of about 180 nanometer.

6. (Currently Amended) The ~~use~~method of claim 4[[ ]], wherein the nano-sized lipidic particles are made of phospholipid layers.


7. (Currently Amended) The ~~use~~method ~~according to~~of claim 1, wherein the composition is a cosmetic composition comprising a sufficient amount of the compound and an adequate cosmetic carrier.

8. (Currently Amended) The ~~use~~method of claim 7, wherein the sufficient amount of the compound is comprised between about 0.5% wt and about 10% wt of the composition.

9. (Currently Amended) The ~~use~~method of claim 7, wherein the cosmetic composition is in the form of a cream, a gel, a lotion or a liquid.

10. (Currently Amended) The ~~use~~method according to claim 7[[ ]], wherein the composition further comprised other vitamins, preferably vitamins selected from the group consisting of vitamin A, vitamin C, vitamin E or a mixture thereof.


11. (Original) A cosmetic composition which comprises an adequate cosmetic carrier, phospholipids, ethoxy diglycol and a compound of formula I



, wherein R1 is an alkyl group and wherein R2 is H or an alkyl group, for the treatment and/or the prevention of mammal dermatological lesions, selected from the group consisting of bruises, vascular disorder on the skin, spider veins, varicoses, blotches on the face, purpura on the face, body or legs, irritation following use of chemical peel, ~~Shambourg's~~Schamberg's disease or a mixture thereof.

12. (Original) The cosmetic composition according to claim 11, which is in the form of a cream or a gel.

13. (Currently Amended) The cosmetic composition of claim 11[[ ]], wherein the compound of formula I, R1 is a ~~alkyl chain~~alkyl group of formula II



wherein R2 is a methyl.

14. (Previously Presented) The cosmetic composition according to claim 11, wherein the compound is present in nano-sized lipidic particles, comprised between about 50 and about 400 nanometers in diameter.

15. (Original) The cosmetic composition according to claim 14, wherein the compound is present in nano-sized lipidic particles of about 180 nanometer in diameter.

16. (Previously Presented) The composition of claim 14[[ ]], wherein the nano-sized lipidic particles are made of a phospholipid layer.

17. (Previously Presented) The cosmetic composition according to [[ ]]claim 11, wherein the compound is present in a percentage in the composition comprised between about 0.5% wt to about 10% wt of the composition.